

| Policies and Pathways | | | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Policies | I know the location of the local rules | | |
| | I know the location of my department safety policies | | |
| | Safety protocols are regularly reviewed and updated in my department. If I am not directly involved in this, I know who does this | | |
| | I am familiar with the latest version of the MHRA guidance and the SOR/BAMRR joint publication on MRI and know where to find them for reference | | |
| | I know the location of the MR risk assessments and I have the read them within the last year | | |
| | I have undertaken training and competency in cannulation and medicine management and my competencies are up-to- date | | |
| | I have read and signed local PGD or PSD guidance | | |
| Pathways | I know the urgent and significant finding pathway in my department | | |
| | I know how to report an incident on my local incident reporting system | | |
| | I know the IOFB pathway for my department, and under IR(ME)R my responsibility to refer a patient for orbital x-ray if necessary | | |
| | | | |
| | | | |

| Accessible information | I can adapt my communication to meet and support the needs of patients and carers who have a disability, |
|------------------------|----------------------------------------------------------------------------------------------------------|
| standards | impairment or sensory loss |
| | I know my department interpreter policy |
| | I know the location of the nearest hearing loop induction |

system

| I know about the hazards in MRI | | | | | | | | |
|---------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------|--|----------------|--|--|--|--|
| | Static magnetic field | | | Phantom fluids | | | | |
| | Time-v field | arying magnetic gradient | | Cryogens | | | | |
| 0 | Radio | frequency magnetic fields | | Acoustic noise | | | | |
| | Pregnancy in MRI | | | | | | | |
| MRI layout and Areas | | | | | | | | |
| Controlled Access Area | | I know where the Controlled Access Area starts, the different areas within it, and the location of the MR environment | | | | | | |
| Fire exits | | I know the location of fire exits and call points in my department | | | | | | |
| Notes | | | | | | | | |
| My leai objecti | _ | | | | | | | |